

## REFERENCES

---

- Abdelhamid, M. S. and Krizek, R. J. At rest lateral earth pressures of a consolidated clay. *ASEC J. Geotech. Engrg.* Vol 102, GT7, pp. 721-738. 1976.
- Åberg, B. Void ratio of noncohesive soils and similar materials, *Journal of Geotechnical Engineering*, Vol. 118, No. 9, pp. 1315-1334. 1992.
- Atkinson, J. H., Allman, M. A. and Böese, R. J. Influence of laboratory sample preparation procedures on the strength and stiffness of intact Bothkennar soil recovered using the Laval sampler, *Géotechnique* Vol. 42, No.2, pp. 349-354.1992.
- Atkinson. J. H. An introduction to the mechanics of soils and foundations. London: McGraw-Hill. 1993.
- Atkinson, J. H. Non-linear soil stiffness in routine design, *Géotechnique* Vol. 50, No.5, pp. 487-508. 2000.
- Baldi, G., Hight, D. W. & Thomas, G. E. A re-evaluation of conventional triaxial test methods, *Advanced triaxial testing of soil and rock*. ASTM, STP 977. pp. 219-263. 1988.
- Baligh, M. M. Strain path method, *J. Geotech. Engng Div. Am. Soc. Civ. Engrs* 111, GT9. pp. 1108-1136. 1985.
- Been, K. and Jefferies, M. G. A state parameter for sands, *Géotechnique* Vol. 35, No.2, pp. 99-112.1985.

- Bishop, A. W. Test requirements for measuring the coefficient of earth pressure at rest, *Proc. Brussels conference on earth pressure problems*, Vol. 1, pp. 2-24. 1958.
- Bishop, A. W. and Wesley, L. D. A hydraulic triaxial apparatus for controlled stress path testing, *Géotechnique* Vol. 25, No.4, pp. 657-670.1975.
- Biswas, B. Quaternary changes in sea-Level in the south china sea. *Geol. Soc. Malaysia*, Bulletin 6, pp. 229-256. 1973.
- Bolton, M. D. The strength and dilatancy of sands, *Géotechnique* Vol. 36, No.1, pp. 65-78.1986.
- Boyce, S. C. (1983). Laboratory Determination of horizontal stress in cohesionless soil. *Geotechnical Engineering Report* 83-1. U. of Cornell, Ithaca. 1983.
- Brown, S. F. State-of-the-art report on field instrumentation for pavement experiments. *Transpn Res. Rec.*, No 640, pp. 13-68. 1977.
- Cassan, M. Les Essais In Situ en Mécanique des Sols. Tome 1: Realization et Interpretation. *Editions Eyrolles*, Paris. 1978.
- Chameau, J. L. and Sutterer, K. Influence of fines in liquefaction potential and steady state. *Proc. of Thirteenth International Conference on Soil Mechanics and Foundation Engineering*, New Delhi. Vol 5. 183-184. 1994.
- Chin, Y. K., Tan, S. L. & Tan, S. B. Ultimate load tests on instrumented bored piles in Singapore Old Alluvium, *Proc. Of the Eighth Southeast Asian Geotechnical Conference*, Kuala Lumpur. Vol 2. pp.54-65. 1985.
- Chu, J., Lo, S.-C. R. & Lee, I. K. Strain softening behaviour of a granular soil in strain path testing, *J. Geotech. Engng*, ASCE Vol. 118, No. 2, pp. 191-208. 1992.

- Chu, J., Goh, P. P., Pek, S. C. and Wong, I. H. Engineering properties of Old Alluvium soil, *Proc. of underground Singapore 2003*. NTU, Singapore. pp. 285-295. 2003.
- Clarke, B. G. Pressuremeters in Geotechnical Design. pp. 175-195. Chapman & Hall, 1995.
- Clayton, C. R. I. and Bica, A. V. D. The design of diaphragm-type boundary total stress cells, *Géotechnique* Vol. 43, No.4, pp. 523-535.1993.
- Clayton, C. R. I., Matthews, M.C. and Simons, N. E. Site investigation. Blackwell Science, UK.1995.
- Clayton, C. R. I., Siddique, A. and Hopper, R. J. Effects of sampler design on tube sampling disturbance – numerical and analytical investigations, *Géotechnique* Vol. 48, No.6, pp. 847-867.1998.
- Coudua, W. S. The hardness of minerals and rocks, webpage, 1997.
- Craig, R. F. Soil Mechanics, 6<sup>th</sup> edition. Chapman & Hall, 1997.
- Cuccovillo, T. and Coop, M. R. The measurement of local axial strains in triaxial tests using LVDTs, *Géotechnique* Vol. 47, No.1, pp. 167-171.1997.
- Cuccovillo, T. and Coop, M. R. On the mechanics of structured sands, *Géotechnique* Vol. 49, No.6, pp. 741-760.1999
- Dames and Moore. *Detailed geotechnical study interpretative report*. 1983.
- Denby, G. M. and Hughes, J. M. O. Horizontal stress interpretation of pressuremeter tests, *Proc. Conf. Updating Subsurface Sampling of Soils and Rocks and their In-situ Testing*, ASCE, Santa Barbara, pp. 227-254. 1982.
- Dunnicliff, J. Geotechnical instrumentation for monitoring field performance. John Wiley & Sons, 1988.

- Dunstan, T. The influence of grading on the anisotropic strength of sand, *Géotechnique* Vol. 22, No.3, pp. 529-532. 1972.
- Dyvik, R., Lacase, S., and Martin, R. Coefficient of lateral stress from oedometer cell. *Proc. of the 11<sup>th</sup> International Conference on Soil Mechanics and Foundation Engineering*. San Francisco, Vol. 2. pp. 1003-1006. A. A. Balkema. 1985.
- Feda, J. Ko-coefficient of sand in triaxial apparatus, *J. Geotech. Engrg.*, ASCE, Vol 110, GT4, pp. 519-524. 1984.
- Gambin, M. Utilisation du modèle pressiométrique et de la pression limite pour le calcul des fondations, *Sols Soils* N°28. pp. 14-25. 1979.
- Georgiannou, V. N., Burland, J. B. & Hight, D. W. The undrained behaviour of clayey sands in triaxial compression and extension, *Géotechnique* Vol. 40, No.3, pp. 431-449.1990.
- Georgiannou, V. N., Hight, D. W. & Burland, J. B. Behaviour of clayey sands under undrained cyclic triaxial loading, *Géotechnique* Vol. 41, No.3, pp. 383-393.1991.
- Gibson, R. E. & Anderson, W. F. In situ measurement of soil properties with the pressuremeter. *Civil Engineering and Public Works Review*, Vol. 56, No. 658. May, pp. 615-618.1961.
- Gobbett, D. J. and Hutchison, C. S. Geology of the Malay Peninsula, west Malaysia and Singapore. pp. 160-168. Wiley Interscience.1973.
- Graham, J. and Houlsby, G. T. Anisotropic elasticity of a natural clay, *Géotechnique* Vol. 33, No.2, pp. 165-180.1983.

- Gupta, A., Rahman, A., Wong, P.P. & Pitts, J. The Old Alluvium of Singapore and the extinct drainage system to the South-China sea, *Earth Surface And Landforms*, Vol. 12, pp. 259-275. 1987.
- Head, K. H. *Manual of Soil Laboratory Testing*. London: Pentech Press. 1992.
- Hendron, A. J. The behaviour of sand in one-dimensional compression. *Ph. D. thesis*, U. of Illinois at Urbana-Champaign, USA. 1963.
- Hicher, P. Y. Elastic properties of soils, *J. Geotech. Engrg.*, ASCE, Vol 122, No. 8, pp. 641-648. 1996.
- Hight, D. W. and Georgiannou, V. N. Effects of sampling on the undrained behaviour of clayey sands, *Géotechnique* Vol. 45, No.2, pp. 247-247.1995.
- Ho. D. Y. F. and Fredlund, D. G., Increase in strength due to suction for two Hong Kong soils, In *Proc. Of the ASCE Geotechnical Engineering Division Specialty Conference*, Honolulu, Hawaii, pp. 263-296. 1982.
- Høeg. K., Dyvik, Rune, & Sandbækken, G. Strength of undisturbed versus reconstituted silt and silty sand specimens, *J. Geotech. And Geoenv. Engrg.*, ASCE, Vol 126, 7, pp. 606-617. 2000.
- Hvorslev, M. J. The changeable interaction between soils and pressure cells; tests and reviews at the Waterways Experimental Station. Technical Report S-76-7. US Army Engineer Waterways Experimental Station, Vicksburg. 1976.
- Ingham, F. T. and Bradford, E. F. The geology and mineral resources of the Kinta Valley, Perak, *Mem. Geol. Survey Dept. Fed. Malaya*, 9, pp. 347. 1960.

- Ishihara, K., Sodekawa, M. and Tanaka, Y. Effects of overconsolidation on liquefaction characteristics of sands containing fines. *Dynamic Geotechnical Testing*, STP 654, pp. 246-264. Philadelphia: ASTM. 1978.
- Ishihara, K. Liquefaction and flow failure during earthquakes, *Géotechnique* Vol. 43, No.3, pp. 351-415. 1993.
- Jaky, J. Pressure in silos, *Proc. of the 2<sup>nd</sup> international conference on soil mechanics and foundation engineering*. Vol. 1. pp. 103-107. 1948.
- Japanese Geotechnical Society. Standards of Japanese Geotechnical Society for Soil Sampling, standards and explanations, English version. pp. 12-13. JGS. 1998.
- Jardine, R. J., Symes, M. J. & Burland, J. B. The measurement of soil stiffness in the triaxial apparatus, *Géotechnique* Vol. 34, No.3, pp. 323-340.1984.
- Juneja, A. Centrifuge model study of the effects of sand compaction pile installation of soft clay ground. Ph. D. thesis, National U. of Singapore. 2002.
- John Pitts. A review of geology and engineering geology in Singapore, *Q. J. eng. Geol. London*, Vol. 17, pp 93-101. 1984.
- Kenny, T. C. Residual strengths of mineral mixtures, *Proc. 9<sup>th</sup> Int. Conf. Soil Mech.*, Tokyo. Vol. 1. pp. 155-160. 1977.
- Kimura, T. and Saitoh, K. The influence of disturbance due to sample preparation on the undrained strength of saturated cohesive soil, *Soils and Foundations*, Vol. 22, No. 4. 1982.
- Kiso Jiban. Factual Report on Soil Sampling in Old Alluvium at Kim Chuan Site. Kiso Jiban Consultants Co., LTD. 2002.

- Knight-Hassel, C. K., Rosser H. B. & Eng. W. C. Difficult ground conditions encountered during construction of a cross passage in Old Alluvium, *Underground Singapore*. 2001.
- Kohata, Y., Tatsuoka, F., Wang, L., Jiang, G. J., Hoque, E. and Kodaka, T. Modelling the non-linear deformation properties of stiff materials, *Géotechnique* Vol. 47, No.3, pp. 563-580.1997.
- Lee, F. H., Juneja, A., Wen, C., Dasari, G. R. and Tan, T. S. Performance of total stress cells in model experiments in soft clays. *Proc. of the International Conference on Physical Modelling in Geotechnics*, pp. 101-106. 2002.
- Leroueil, S. & Vaughan, P.R. The general and congruent effects of structure in natural and weak rocks, *Géotechnique* Vol. 40, No.3, pp. 467-488.1990.
- Leroueil, S. and Maria Esther Soares, M. Importance of strain rate and temperature effects in geotechnical engineering. *Proc. of the 1996 ASCE National Convention*, Washington, DC, USA.1996.
- Li, W. W. and Wong, K. S. Geotechnical Properties of Old Alluvium in Singapore, *Journal of The Institution of Engineers, Singapore*, Vol. 41, No. 3, pp. 10-20. 2001.
- Mair, R. J. and Wood, D. M. Pressuremeter Testing, methods and interpretation. London: CIRIA. 1987.
- Marsland, A. and Randolph, M. F. Comparisons of the results from pressuremeter tests and large in situ plate tests in London Clay, *Géotechnique* Vol. 27, No.2, pp. 217-243.1977.
- Mayne, P. W. and Kulhawy, F. H.  $K_o$ -OCR relationships in soil, *ASCE Journal of Geotechnical Engineering Division*, 108(GT6), pp. 851-872. 1982.

- Ménard, L. Mesures in situ des propriétés physiques des sols, *Mnnales des Ponts et Chaussées*, Paris, NO. 14, pp. 357-377. 1957.
- Mesri, G. and Hayat, T. M. The coefficient of earth pressure at rest, *Can. Geotech. J.* Vol 30, pp. 647-666. 1993.
- Millot, G. Clay, *Science American*, 240, pp. 109-118. 1979.
- Mitchell, J. K. Fundamentals of soil behaviour. New York: Wiley. 1976.
- Mitchell, J. K. and Sitar, N. Engineering properties of tropical residual soils, In *Proc. Of the ASCE Geotechnical Engineering Division Specialty Conference*, Honolulu, Hawaii, pp. 30-57. 1982.
- Ni, Q., Dasari, G. R., Tan, T. S. and Hight, D. W. Contribution of fines to the ultimate strength of mixed soils, *Géotechnique* Vol 54, No 9, pp. 561-569. 2004.
- Orihara K. and Khoo K.S. Engineering properties of Old Alluvium in Singapore and its parameters for bored pile and excavation design, *13<sup>th</sup> Southeast Asian Geotechnical Conference*, pp. 545-550.1998.
- Ovando-Shelly, E. & Pérez, B. E. Undrained behaviour of clayey sands in load controlled triaxial tests, *Géotechnique* Vol. 47, No.1, pp. 97-111.1997.
- Palmer, A. C. Undrained plane-strain expansion of a cylindrical cavity in clay: a simple interpretation of the pressuremeter test, *Geotechnique*, Vol. 22, No. 3, pp. 451-457.1972.
- Peart, M. Poh, J. & Kho, C. M. A revised interpretation of Old Alluvium Formation based on ground investigations for Changhi Airport Line, *Underground Singapore*. 2001.

- Pitman, T. D., Robertson, P. K. & Sego, D. C. Influence of fines on the collapse of loose sands, *Can. Geotech. J.* Vol 31, pp. 728-739. 1994
- Pitts, J. An indirect method of determining magnitudes of erosion using the  $c/p'$  ratio, *Earth Surface Processes and Landforms*, Vol. 11, pp. 107 -110. 1986.
- Pitts, J. and Gupta, A. Physical adjustments in a changing landscape: the Singapore story. Singapore : Singapore University Press. 1992.
- Presti, D. C. F. Lo., Pallara, O., Costanzo, D. & Impavido, M. Small strain measurement during triaxial tests: Many problems, some solutions, *Pre-failure Deformation of Geomaterials*, pp. 11-16, Rotterdam: Mitachi & Miura (edu). 1994.
- Public Works Department. Geology of the Republic of Singapore. 1976.
- Richardson, A. M. and Whitman, R. V. Effect of strain-rate upon undrained shear resistance of a saturated remoulded fat clay, *Geotechnique*, Vol. 13, No. 4, pp. 310-324. 1963.
- Sallfors, G. *Preconsolidation Pressure of Soft, High-plastic Clays*. Ph. D. thesis, Chalmers U. of Tech., Gothenburg, Sweden. 1975.
- Santagata, M. C. and Germaine, J. T. Sampling disturbance effects in normally consolidated clays, *J. Geotech. And Geoenv. Engrg.* Vol. 128, No. 12, pp. 997-1006. 2002.
- Savage, V. R. Landscape change: from kampung to global city. *Physical Adjustments in a Changing Landscape, the Singapore Story*, edited by Gupta, A. and Pitts, J. pp. 5-31. Singapore University Press. 1992.
- Schmidt, B. Lateral stresses in uniaxial strain. Geoteknisk Institut, Copenhagen, Denmark. Bulletin 23, pp. 5-12. 1967.

- Scrivenor, J. B. and Jones, W. R. The geology of south Perak, north Selangor and the Dindings. pp. 196. Kuala Lumpur: Government Press. 1919.
- Scrivenor, J. B. The geology of Malaya. pp. 217. London: Macmillan. 1931.
- Selig, E. T. Soil stress gage calibration, *Geotech. Test. J.* Vol 3, No. 4, pp. 153-158. 1980.
- Selly, R. C. Applied Sedimentology. Academic Press. 2000.
- Shapiro, S. & Yamamuro, J. A. Effects of silt on three-dimensional stress-strain behaviour of loose sand, *J. Geotech. And Geoenv. Engrg.* Vol. 129, No. 1, pp. 1-11. 2003.
- Shirlaw, J. N., Hencher, S. and Zhao, J. Underground excavations in tropically weathered soils and rocks. *GeoEng2000 International Conference on Geotechnical & Geological Engineering*, Melbourne , Australia. 2000.
- Scholey, G. K., Frost, D. J., Lo Presti, D. C. F., and Jamiolkowski, M., A Review of instrumentation for measuring small strains during triaxial testing of soil specimens, *Geotechnical Testing Journal*, Vol. 18, No. 2, pp. 137–156. 1995
- Sivam, S. P. Quaternary alluvial deposits in the north Kinta Valley, Perak. M. Sc. Thesis, University of Malaya. 1969.
- Skempton, A. W. and Sowa, V. A. The behaviour of saturated clays during sampling and testing, *Geotechnique*, Vol. 13, No. 4, pp. 269-289. 1963.
- Szymański, A. and Szymański, J. M. *Hardness Estimation of Minerals, Rocks and Ceramic Materials*, Warszawa: PWN. 1989.
- Tai, S. A. Geology of Eastern Singapore Island with Special Emphasis on the Old Alluvium, B. Sc Dissertation, University of Malaya. 1972.

- Tan, T. S., Phoon, K. K., Lee, F. H., Tanaka, H., Locat, J. and Chong, P. T. A characterisation study of Singapore lower marine clay. *Characterisation and Engineering Properties of Natural Soils*, Vol 1. pp. 429-454. A. A. Belkema. 2003.
- Tan, T. S., Lee, F. H., Chong, P. T. and Tanaka, H. Effect of sampling disturbance on properties of Singapore clay, *J. Geotech. And Geoenv. Engrg.* Vol. 128, No. 11, pp. 898-906. 2002.
- Tan, S.B., Lee, K.W. and Loy, W.C. Engineering Geology of the Old Alluvium in Singapore, *Proc. Of the 6<sup>th</sup> Southeast Asia Conference on Soil Engineering*, Taipei. Vol 1. pp. 673-684.1980.
- Tatsuoka, F., Teachavorasinskun, S., Dong, J., Kohata, Y. and Sato, T. Importance of measuring local strains in cyclic triaxial tests on granular materials, *Proc. of ASTM Symposium Dynamic Geotechnical Testing II, ASTM, STP 1213*, pp.288-302. 1994.
- Tenando, E. Strength properties and mineralogy of Singapore Old Alluvium. Master thesis, National U. of Singapore. 2003.
- Thevanayagam, S. and Mohan, S. Intergranular state variables and stress-strain behaviour of silty sands, *Géotechnique* Vol. 50, No.1, pp. 1-23.2000.
- Thevanayagam, S., Shenthan, T., Mohan, S. & Liang, J. Undrained fragility of clean sands, silty sands, and sandy silts, *J. Geotech. And Geoenv. Engrg.* Vol 128, No. 10, pp. 849-859. 2002.
- Topolnicki, M., Gudehus, G., and Mazurkiewicz, B. K. Observed stress-strain behaviour of remolded saturated clay under plane strain conditions, *Géotechnique* Vol. 40, No.2, pp. 155-187.1990.

- Vaid, Y. P., Chung, E. K. F. and Kuerbis, R. H. Stress path and steady state, *Can. Geotech. J.* Vol. 27, pp. 1-7. 1990.
- Vaughan, P. R. Assumption, prediction and reality in geotechnical engineering, *Géotechnique* Vol. 44, No.4, pp. 573-609. 1994.
- Viana da Fonseca and J. Almeida e Sousa. At rest coefficient of earth pressure in saprolitic soils from granite, *Proc. of the 15th international conference on soil mechanics and geotechnical engineering*, Istanbul, Turkey. Vol. 1, pp. 397-400. A. A. Balkema, Neth. 2001.
- Weiler, W. A. and Kulhawy, F. H. Behaviour of stress cells in soil. Geotechnical Engineering Report 78-2. U. of Cornell, Ithaca. 1978.
- Weiler, W. A. and Kulhawy, F. H. Factors affecting stress cell measurements in soil, *J. Geotech. Engng Div. ASCE*. Vol 108, GT12, pp. 1529-1548. 1982.
- Walker, D., Studies on the Quaternary of the Malay Peninsula. Pt. I. Alluvial deposits of Perak and the relative levels of land and sea, *Fed. Mus. J.* 1-2, pp. 19-34.1956.
- Wood, D. M. Soil behaviour and critical state soil mechanics. Cambridge: Cambridge U. Press. 1990.
- Wroth, C. P. In situ measurement of initial stresses and deformation characteristics, state-of-the-art paper, *GED specialty conference on in situ measurement of soil properties*, Session IV. North Carolina State U., Raleigh. 1975.
- Wroth, C. P. The interpretation of in-situ soil tests. 24<sup>th</sup> Rankine Lecture, *Géotechnique* Vol. 34, No.4, pp. 449-489.1984.

Yang, J. Non-uniqueness of flow liquefaction line for loose sand, *Géotechnique* Vol. 52, No.10, pp. 757-760. 2002.

Youd, L. T. and Craven, T. N. Lateral stresses in sands during cyclic loading. *ASCE J. Geotech. Engrg.* Vol 101, No. 10, pp. 217-221. 1975.

Zlatovic, S. & Ishihara, K. On the influence of nonplastic fines on residual strength. *Proceeding of IS-TOKYO'95, first international conference on earthquake geotechnical engineering* (ed. K. Ishihara), pp. 239-244. Rotterdam: A. A. Balkema. 1995.